

LENGTH CHART

Height Difference	DOCK PLATE LENGTH	DOCK BOARD LENGTH	
	Pallet Jack	Propane Forklift	Electric Forklift
3	36"	36"	36"
5	48"	36"	48"
7	60"	36"	60"
9	-	60"	78"
11	-	72"	90"
13	-	84"	-
15	-	96"	-

CAPACITY SELECTION CHART

3-Wheel Forklift Capacity	4-Wheel Forklift Capacity	Board Capacity
2,000-2,500	2,000-3,000	10,000
-	3,000-4,000	13,000
3,000-3,500	5,000	15,000
4,000-5,000	5,000-6,000	20,000

CAPACITY

- Stackers and other narrow aisle loaders should not be used on a dockboard.
- Paper roll clamp and multi-shift loading add 5,000 pounds to the board capacity.
- Capacity rated for single-shift operation at a 3 mile per hour maximum rate of travel.
- For all rail board applications, we require a fully completed [rail board worksheet](#).

designed for use with 3,000 pound forklift (10,000# model) and 4,000 pound forklift (13,000# model). Available in widths of 60" & 72".

RED PIN STEEL DOCKBOARD (C)

- For difficult trailer-to-dock positions
- Dual-pin locking system
- All-welded steel construction
- Capacities from 15,000 to 40,000 pounds

The red pin dock board utilizes full length side pockets along with two locking pins for each side. These pins provide safe loading conditions for container and park - out applications. Widths from 60" to 84". Lengths from 48" to 96".



U.S. Patents Nos. 4,689,846; 5,065,468. Copyright ©2001 Bluff Manufacturing, Inc.
Bluff Manufacturing reserves the right to make changes in specifications or designs consistent with product improvements.